



PNSHAR



# Digital Thickness Tester

PN-PT20F

# Digital Thickness Tester

## PN-PT20F

### Description

The PN-PT20F electronic thickness tester is used for measuring the thickness of corrugated paper boards.

It adopts high precision displacement sensor, has the functions of testing, displaying, memory, printing and data-processing etc.

### Applications

All kinds of corrugated paperboard.



**PNSHAR**

### Standards

GB/T 6547, ISO 3034.

Specification	
Power supply	AC220V±10% 50Hz 2A
Indication error	±0.3%
Indication variability	≤ 0.3%
Range	≤ 20mm
Resolution	0.001 mm
Parallelism	≤ 0.035 mm
Contact area	(10±0.2)cm <sup>2</sup>
Contact pressure	(20±0.5) kPa
Lowering speed	2-3 mm/s
Display manual	English/Chinese
Printer	Thermal printer
Output	RS232 (standard) / USB (optional)
Environment	Temperature 10 ~ 30 Relative humidity < 85%
Dimensions	320 × 360 × 480 mm
Weight	About 23 kg




# BOX



 17901 Von Karman Ave. Suite 600  
Irvine, CA, 92614

 [info@corrugatedboxequipment.com](mailto:info@corrugatedboxequipment.com)

 [www.corrugatedboxequipment.com](http://www.corrugatedboxequipment.com)

 USA 949 242 9516 / 949 556 8744  
MEX 55 7587 7681 / 55 8421 91591

