



# **TRANSPAK**

TRANSPAK EQUIPMENT CORP.



H-45L Helios  
Power Tool

**THE WORLD'S VALUE LEADER**  
A WORLD-CLASS STRAPPING MACHINE COMPANY



# H-45L Helios Battery Powered Strapping Tool

## DESCRIPTION

Helios H-45L is a battery powered strapping tool with superior features and performance. It is suitable for most of the strapping requirements in every application. Helios H-45L delivers the highest productivity and performance to meet the customer's packaging needs.

## MAIN FEATURES

### Easy Single Handheld Operation

- One single thumb pressing to operate the tool. Tensioning, sealing, and cutting are done at the push of the start button. It is the most user-friendly tool.



### For All Kinds of Flat Packages

- Suitable for a wide range of vertical and horizontal strapping applications, including construction materials, pallet, wood/panel board, paper, etc.



### Quick and Simple Adjustment

- Adjustable sealing time allows individual setting for different strap types and guarantees high sealing efficiency. Strap tension adjustment can be easily done by a simple turn of the dial. Appropriate tension ensures ideal load security.



### Bosch Battery and Charger

- German Bosch high capacity battery provides up to 560 (for PP) and 300 (for PET) strapping cycles per charge. Rechargeable battery with long battery life up to 1000 charges.

### Friction Weld Sealing

- The advanced friction weld sealing technology guarantees reliable joint and high sealing efficiency for both PP and PET strapping.



## MORE FEATURES

### High Speed

- One of the fastest tool on the market. In less than 3 seconds, the strap is tensioned, sealed, and cut.

### Ergonomic and Rugged Design

- Provides maximum operator comfort and impact resistant. With little effort, packages such as boxes, pallets, bales, and crates can be safely strapped and secured during shipment and storage.

### Easy Strap Threading

- Strap feeding is extremely simple. Both end of straps are inserted into the tool together. shipment and storage.

### Flexible Tensioning Mode

- Automatic mode offers fast, one-button tensioning and sealing. Semi-auto mode offers flexibility to get specific tension. Both modes guarantee the loads are perfectly secured with the appropriately tensioned straps.

## OPTIONS

- Suspension bracket
- Bottom base wearing protection plate



## TECHNICAL DATA

|                               |   |
|-------------------------------|---|
| <b>Tension Range</b>          | Up to 250 kg  |
| <b>Strap Width</b>            | 9 mm (H-45L-09)<br>11 mm - 13 mm (H-45L-12)<br>15 mm - 16 mm (H-45L-16) |
| <b>Strap Thickness</b>        | PP : 0.55 - 1.05 mm<br>PET : 0.5 - 1.05 mm                              |
| <b>Weight (incl. battery)</b> | 4.26 kg   |
| <b>Battery</b>                | Bosch Li-Ion 14.4V 4.0 Ah   |
| <b>Battery Charger</b>        | Bosch<br>115V (110-120V), 230V (220V-240V)<br>50/60 Hz 1 PH             |

# H-45L



**TRANSPAK**  
TRANSPAK EQUIPMENT CORP.

MADE IN TAIWAN



120 Vantis Drive, Suite 300, Aliso Viejo,  
CA, 92656



[info@corrugatedboxequipment.com](mailto:info@corrugatedboxequipment.com)



[www.corrugatedboxequipment.com](http://www.corrugatedboxequipment.com)



USA +1 949 242 9516  
MEX +52 55 69 52 0707