



PNSHAR



Thickness Tester

PN-PT20

Thickness Tester

PN-PT20

Description

PN-PT20 corrugated board thickness tester is used to measure the thickness of corrugated board, widely used in paper, cardboard and other sheet materials, measured the thickness of corrugated cardboard.

The instrument is ideal equipment used in the cardboard carton production, research and inspection of enterprises and sectors etc.



Standard:

GB/T 6547, ISO 3034.

Specification	
Indicator error	$\pm 0.05\text{mm}$
Resolution	0.01mm
Measuring range	0.01-20mm
Contact force	$(20 \pm 0.5) \text{ kPa}$
Contact area	$(10 \pm 0.2) \text{ cm}^2$
Parallism	$\leq 0.035 \text{ mm}$
Test speed	$(2\sim 3) \text{ mm/s}$
Working Condition	Room Temp $20 \pm 10^\circ\text{C}$ Relative Humidity $< 85\%$
Dimension	$(170 \times 140 \times 225) \text{ mm}$ (LxWxH) (excluding the header)
Net Weight	About 6.8 Kg




BOX



 17901 Von Karman Ave. Suite 600
Irvine, CA, 92614

 info@corrugatedboxequipment.com

 www.corrugatedboxequipment.com

 USA 949 242 9516 / 949 556 8744
MEX 55 7587 7681 / 55 8421 91591

