
AMC



FLEXO FOLDER GLUER

Model MCFG-1224-3SD

DESCRIPTION

Flexo Folder Gluers represent a complete box making solution, AMC Flexo Folder Gluer MCFG-1224-3SD can finish multi processes at the same time, is ready to increase efficiency and production for your line, producing consistent, quality boxes with a wide range of configurations available to fit the specifics needs of every customer.

AMC

CHARACTERISTICS

- Lead Edge Feeder
- PLC Control System
- Quick printing plate mounting
- Zero reset function.
- High precious transfer structure with ceramics vacuum transfer wheel, good registration accuracy.
- Creasing-slotting unit, prevent creasing line from bursting, better folding.
- · Counter ejector with down stacking.
- Motorized adjustment of each unit open/close and with alarm ringing. Each unit driven by a separate motor.
- All shafts pressure adjusted by motor
- · International brand electric components and transfer bearings.

Technical specifications	
Model	MCFG-1224-3SD
Max. Machine Speed	250 sheet/min.
Suitable Working Speed	150-200 sheet/min.
Max. Sheet Size	1200x2500 mm
Min. Sheet Size	300x650 mm
Max. Printing Area	1100x2400 mm
Sheet Thickness	1-8 mm
Printing Die Thickness	5-7 mm
Min. Slotting Space	160x160x160x160 or 300x60x300x60
Max. Slotting Depth	7x250 mm
Feeding Accuracy	+/-1.0 mm
Printing Accuracy	+/-0.3 mm
Slotting Accuracy	+/-1.5 mm
Die Cutting Accuracy	+/-1.5 mm



Parts







I790I Von Karman Ave. Suite 600 Irvine, CA, 92614

₩ info@corrugatedboxequipment.com

() www.corrugatedboxequipment.com

USA 949 242 9516 / 949 556 8744 MEX 55 7587 7681 / 55 8421 91591