

# AMC




## THIN BLADE SLITTER SCORER COMPUTER CONTROL

Model BFY 2500 / 3200 - NCD

## CHARACTERISTICS

- Lead edge feeder with high accuracy.
- Servo and PLC control system, input order data and change order fast.
- Store 999 order data.
- Pneumatic control blade and scorer lifting.
- Auto grinding and manual grinding, both available.
- Blade use tungsten material.
- Both pre-creasing and creasing are used to prevent corrugated damaged.
- Synchronous belt used for transmitting system.
- Blade and scorers moving through lineal rail and ball screw.
- Order change time: 10-30 seconds.



| <i>Technical specifications</i> |                       |                       |
|---------------------------------|-----------------------|-----------------------|
| <i>Model</i>                    | <i>BFY-NCD-2500</i>   | <i>BFY-NCD-3200</i>   |
| <b>Design Speed</b>             | 230 pieces/minute     | 200 pieces/minute     |
| <b>Max. Slitting Width</b>      | 2200 mm               | 2800 mm               |
| <b>Min. Slitting Width</b>      | 140 mm                | 140 mm                |
| <b>Min. Scoring Width</b>       | 140 mm                | 140 mm                |
| <b>Scoring Height</b>           | 0-10 mm               | 0-10 mm               |
| <b>Blade Thickness</b>          | 1.2 mm                | 1.2 mm                |
| <b>Slitting Knives</b>          | 4 pcs                 | 6 Pcs                 |
| <b>Creasing Tools</b>           | 6 pcs                 | 10 Pcs                |
| <b>Air Pressure</b>             | 0.6 - 0.8 MPa         | 0.6 - 0.8 MPa         |
| <b>Power</b>                    | 23 KW                 | 14 Kw                 |
| <b>Machine Dimensions</b>       | 3800 x 3600 x 2000 mm | 4000 x 1300 x 2000 mm |
| <b>Machine Weight</b>           | 4800 KG               | 4000 KG               |

## SIDES OF THE MACHINE

#1



#2



# AMC


BOX



 17901 Von Karman Ave. Suite 600  
Irvine, CA, 92614

 [info@corrugatedboxequipment.com](mailto:info@corrugatedboxequipment.com)

 [www.corrugatedboxequipment.com](http://www.corrugatedboxequipment.com)

 USA 949 242 9516 / 949 556 8744  
MEX 55 7587 7681 / 55 8421 91591