



FLEXO FOLDER GLUER

Model FFG-1224RC



DESCRIPTION

Flexo Folder Gluers represent a complete box making solution, AMC Flexo Folder Gluer FFG-1224RC can finish multi processes at the same time, is ready to increase efficiency and production for your line, producing consistent, quality boxes with a wide range of configurations available to fit the specifics needs of every customer.

CHARACTERISTICS

- Lead Edge Feeder
- · PLC Control System
- · Quick printing plate mounting
- · Zero reset function.
- High precious transfer structure with ceramics vacuum transfer wheel, good registration accuracy.
- · Creasing-slotting unit, prevent creasing line from bursting, better folding.
- · Counter ejector with down stacking.
- Motorized adjustment of each unit open/close and with alarm ringing. Each unit driven by a separate motor.
- All shafts pressure adjusted by motor
- · International brand electric components and transfer bearings.

Technical specifications	
Model	FFG-1224RC
Max. Machine Speed	300 Sheets/Min
Suitable Working Speed	200-250 Sheets/Min
Max. Sheet Size	1200 x 2450 mm
Min. Sheet Size	320 x 700 mm
Max. Printing Area	1200 x 2400 mm
Sheet Thickness	1-10 mm
Printing Die Thickness	7.2 mm
Min. Slotting Space	160 x 160 x 160 x 160 or 270 x 80 x 270 x 80
Max. Slotting Depth	260 mm
Feeding Accuracy	+/-1.0 mm
Printing Accuracy	+/-0.3 mm
Slotting Accuracy	+/-1.0 mm
Die Cutting Accuracy	+/-1.0 mm



Parts





















- 17901 Von Karman Ave. Suite 600 Irvine, CA, 92614
- info@corrugatedboxequipment.com

 info@corrugatedboxequipment.
- www.corrugatedboxequipment.com
- USA 949 242 9516 / 949 556 8744 MEX 55 7587 7681 / 55 8421 91591